| L Number | Hits | Search Text | DB | Time stamp |
|----------|------|---|---------------------|--------------------|
| - | 2 | (((map near (display or layout or output or show\$4)) and (name near | USPAT | 2004/01/21 10:17 |
| | | (building and street))) and (455/\$ or 343/\$ or 701/\$).ccls.) and | | |
| | _ | (cell\$2phone or mobile or (wire\$2less near (station or unit or node))) | | |
| - | 3 | (((map near (display or layout or output or show\$4)) and (name near | USPAT; | 2004/01/14 16:28 |
| | | (building and street))) and (455/\$ or 343/\$ or 701/\$).ccls.) and | US-PGPUB; | |
| | | (cell\$2phone or mobile or (wire\$2less near (station or unit or node))) | EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM_TDB | 2004/04/44 46 20 |
| - | 4 | (((map near (display or layout or output or show\$4)) and (name near | USPAT; | 2004/01/14 16:28 |
| | | (building and street))) and (455/\$ or 343/\$ or 701/\$).ccls.) and | US-PGPUB; | |
| | | (cell\$2phone or mobile or (wire\$2less near (station or unit or node))) | EPO; JPO; | |
| 1 | | | DERWENT; | |
| 1 | | | IBM_TDB | 2004/01/14 16:21 |
| - | 4 | (((map near (display or layout or output or show\$4)) and (name near | USPAT; | 2004/01/14 16:31 |
| | | (building and street))) and ((455/456.\$) or 343/\$ or 701/\$).ccls.) and | US-PGPUB; | |
| | | (cell\$2phone or mobile or (wire\$2less near (station or unit or node))) | EPO; JPO; | |
| | | | DERWENT; | |
| | 2 | (| IBM_TDB | 2004/01/14 17:01 |
| • | 3 | (map near (cell near (location or area or coverage))) with (display or | USPAT; | 2004/01/14 17:01 |
| | | output) | US-PGPUB; | |
| 1 | | | EPO; JPO; | |
| | | | DERWENT; IBM_TDB | |
| | 5 | (location with (map with ((building or street) near name))) and | USPAT; | 2004/01/14 17:03 |
| - | 3 | (base\$2station or (base adj station)) | US-PGPUB; | 2004/01/14 17:03 |
| | | (vasep2station of (vase auf station)) | EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM TDB | |
| _ | 21 | GPS with (graphical adj display) | USPAT; | 2004/01/16 13:23 |
| | | G. S. Will (Brapillori asj display) | US-PGPUB; | |
| | | | EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM_TDB | |
| - | 2 | 455/\$.ccls. and ((cell near (map)) with display) | USPĀT; | 2004/01/16 13:24 |
| | | | US-PGPUB; | |
| | | | EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM_TDB | |
| - | 281 | 455/\$.ccls. and (cell with (map)) | USPAT; | 2004/01/16 13:30 |
| | | | US-PGPUB; | |
| | | | EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM_TDB | |
| - | 2 | 455/\$.ccls. and ((cell adj area) near (map\$6)) | USPAT; | 2004/01/16 13:28 |
| | | | US-PGPUB; | |
| | | | EPO; JPO; | |
| | | | DERWENT; | |
| | _ | (A55/6) 1 (11 (| IBM_TDB | 2004/01/16 12:24 |
| - | 5 | (455/\$.ccls. and (cell with (map))) and ((bulding or street) with name) | USPAT; | 2004/01/16 13:34 |
| | | | US-PGPUB; | |
| | | | EPO; JPO; | |
| | | | DERWENT; IBM_TDB | |
| | 2 | 2000-352508 | | 2004/01/16 12:42 |
| - | 2 | 2000-30200 | USPAT; US-PGPUB; | 2004/01/16 13:42 |
| | | | EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM_TDB | |
| | | "2000352508" | USPAT; | 2004/01/16 13:34 |
| _ | າ | | | 1 400T/U1/10 1J.J4 |
| - | 2 | 2000332308 | | |
| - | 2 | 2000332306 | US-PGPUB; | |
| - | 2 | 2000332306 | | |

| Griad<20010126) | 004/01/16 14:01 004/01/16 14:02 004/01/20 10:12 004/01/20 18:08 |
|--|--|
| Comparison of the comparison | 004/01/20 10:12 004/01/20 18:08 |
| - 0 | 004/01/20 10:12 004/01/20 18:08 |
| - | 004/01/20 10:12 004/01/20 18:08 |
| - | 004/01/20 10:12 004/01/20 18:08 |
| @rlad<20010126)) and (sharing near info\$7) | 004/01/20 10:12 004/01/20 18:08 |
| ### Company of the co | 004/01/20 18:08 |
| EPO; IPO; DERWENT; IBM TDB US-PGPUB (6654362)6542743 6466797 5642398 6327471 6631263 6463265 6028550 \(\partial \) \(\part | 004/01/20 18:08 |
| Comparison of the comparison | 004/01/20 18:08 |
| IBM_TDB US-PGPUB US-PGPUB US-PGPUB US-PGPUB US-PGPUB US-PGPUB US-PGPUB EPO; IPO; DERWENT; IBM_TDB US-PGPUB EPO; IPO; DERWENT; IBM_TDB US-PGPUB EPO; IPO; DERWENT; IBM_TDB US-PGPUB; EPO; IPO; IPO; IPO; IPO; IPO; IPO; IPO; I | 004/01/20 18:08 |
| 1 | 004/01/20 18:08 |
| 15 (6654362 6542743 6466797 5642398 6327471 6631263 6463265 6028550 0dJ\$P4782),pn. 20 | 004/01/20 18:08 |
| US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | |
| EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 004/01/20 18:14 |
| - 3 "06244782" - 0 6244782" - 0 6244782_URPN 548 (location with (map with (display or output or show\$4 or monitor or screen))) and (base\$2station or (base adj station)) - 409 ((location with (map with (display or output or show\$4 or monitor or screen))) and (base\$2station or (base adj station))) and (@rlad<20010126) - 1 (((location with (map with (display or output or show\$4 or monitor or screen))) and (base\$2station or (base adj station))) and (@rlad<20010126 or @ad<20010126)) - 1 (((location with (map with (display or output or show\$4 or monitor or screen))) and (base\$2station or (base adj station))) and (@rlad<20010126 or @ad<20010126)) and (zoom\$4 near (picture or imag\$4)) - 32 (((location with (map with (display or output or show\$4 or monitor or screen))) and (base\$2station or (base adj station))) and (@rlad<20010126 or @ad<20010126)) and (zoom\$4 near (picture or imag\$4)) - 32 (((location with (map with (display or output or show\$4 or monitor or screen))) and (base\$2station or (base adj station))) and (@rlad<20010126 or @ad<20010126)) and (base\$2station or (base adj station))) and (@rlad<20010126 or @ad<20010126)) and (base\$2station or (base adj station))) and (@rlad<20010126 or @ad<20010126)) and (base\$2station or (base adj station)) and (@rlad<20010126 or @ad<20010126) DERWENT; IBM_TDB | 004/01/20 18:14 |
| - 3 "06244782" IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; D | 004/01/20 18:14 |
| - 0 6244782.URPN. (location with (map with (display or output or show\$4 or monitor or screen))) and (base\$2station or (base adj station)) - 409 ((location with (map with (display or output or show\$4 or monitor or screen))) and (base\$2station or (base adj station))) and (@rlad<20010126) - 1 (((location with (map with (display or output or show\$4 or monitor or screen))) and (base\$2station or (base adj station))) and (@rlad<20010126) - 1 (((location with (map with (display or output or show\$4 or monitor or screen))) and (base\$2station or (base adj station))) and (@rlad<20010126) - 32 (((location with (map with (display or output or show\$4 or monitor or screen))) and (base\$2station or (base adj station))) and (@rlad<20010126) - 32 (((location with (map with (display or output or show\$4 or monitor or screen))) and (base\$2station or (base adj station))) and (@rlad<20010126) - 32 (((location with (map with (display or output or show\$4 or monitor or screen))) and (base\$2station or (base adj station))) and (@rlad<20010126) - 32 (((location with (map with (display or output or show\$4 or monitor or screen))) and (base\$2station or (base adj station))) and (@rlad<20010126) - 32 (((location with (map with (display or output or show\$4 or monitor or screen))) and (base\$2station or (base adj station))) and (@rlad<20010126) - 34 ((location with (map with (display or output or show\$4 or monitor or screen))) and (base\$2station or (base adj station))) and (@rlad<20010126) - 35 ((location with (map with (display or output or show\$4 or monitor or screen)) and (base\$2station or (base adj station)) and (@rlad<20010126) - 36 ((location with (map with (display or output or show\$4 or monitor or screen)) and (base\$2station or (base adj station)) and (@rlad<20010126) - 36 ((location with (map with (display or output or show\$4 or monitor or screen)) and (base\$2station or (base adj station)) and (@rlad<20010126) - 37 (location with (map with (display or output or show\$4 or monitor or screen)) and (base\$2station or (base adj stati | 004/01/20 18:14 |
| US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT 20; Screen))) and (base\$2station or (base adj station)) - 409 ((location with (map with (display or output or show\$4 or monitor or screen))) and (base\$2station or (base adj station))) and (@rlad<20010126) - 1 (((location with (map with (display or output or show\$4 or monitor or screen)))) and (base\$2station or (base adj station))) and (@rlad<20010126) - 1 (((location with (map with (display or output or show\$4 or monitor or screen)))) and (base\$2station or (base adj station))) and (@rlad<20010126) - 32 (((location with (map with (display or output or show\$4 or monitor or screen))) and (base\$2station or (base adj station))) and (@rlad<20010126) - 32 (((location with (map with (display or output or show\$4 or monitor or screen))) and (base\$2station or (base adj station))) and (@rlad<20010126) - 32 (((location with (map with (display or output or show\$4 or monitor or screen))) and (base\$2station or (base adj station))) and (@rlad<20010126) - 32 (((location with (map with (display or output or show\$4 or monitor or screen))) and (base\$2station or (base adj station))) and (@rlad<20010126) - 35 (((location with (map with (display or output or show\$4 or monitor or screen))) and (base\$2station or (base adj station))) and (@rlad<20010126) - 35 (((location with (map with (display or output or show\$4 or monitor or screen)) because the property of the property o | 004/01/20 18:14 |
| - 0 6244782_URPN. (location with (map with (display or output or show\$4 or monitor or screen))) and (base\$2station or (base adj station)) - 409 ((location with (map with (display or output or show\$4 or monitor or screen))) and (base\$2station or (base adj station))) and (@rlad<20010126 or @ad<20010126) - 1 (((location with (map with (display or output or show\$4 or monitor or screen))) and (base\$2station or (base adj station))) and (@rlad<20010126 or @ad<20010126) - 1 (((location with (map with (display or output or show\$4 or monitor or screen))) and (base\$2station or (base adj station))) and (@rlad<20010126 or @ad<20010126)) and (zoom\$4 near (picture or imag\$4)) - 32 (((location with (map with (display or output or show\$4 or monitor or screen))) and (base\$2station or (base adj station))) and (@rlad<20010126 or @ad<20010126)) and ((building or street)with name) - 32 (((location with (map with (display or output or show\$4 or monitor or screen))) and (base\$2station or (base adj station))) and (@rlad<20010126 or @ad<20010126)) and ((building or street)with name) | |
| - 0 6244782.URPN. (location with (map with (display or output or show\$4 or monitor or screen))) and (base\$2station or (base adj station)) - 409 ((location with (map with (display or output or show\$4 or monitor or screen))) and (base\$2station or (base adj station))) and (@rlad<20010126) - 1 (((location with (map with (display or output or show\$4 or monitor or screen))) and (base\$2station or (base adj station))) and (@rlad<20010126) - 1 (((location with (map with (display or output or show\$4 or monitor or screen))) and (base\$2station or (base adj station))) and (@rlad<20010126 USPAT; US-PGPUB; ePO; JPO; DERWENT; IBM_TDB USPAT; OR (((location with (map with (display or output or show\$4 or monitor or screen))) and (base\$2station or (base adj station))) and (@rlad<20010126 USPAT; US-PGPUB; ePO; JPO; DERWENT; IBM_TDB | |
| - 0 6244782.URPN. (location with (map with (display or output or show\$4 or monitor or screen))) and (base\$2station or (base adj station)) - 409 ((location with (map with (display or output or show\$4 or monitor or screen))) and (base\$2station or (base adj station))) and (@rlad<20010126) - 1 (((location with (map with (display or output or show\$4 or monitor or screen))) and (base\$2station or (base adj station))) and (@rlad<20010126) - 1 (((location with (map with (display or output or show\$4 or monitor or screen))) and (base\$2station or (base adj station))) and (@rlad<20010126 USPAT; US-PGPUB; ePO; JPO; DERWENT; IBM_TDB USPAT; or @ad<20010126)) and (zoom\$4 near (picture or imag\$4)) - 32 (((location with (map with (display or output or show\$4 or monitor or screen))) and (base\$2station or (base adj station))) and (@rlad<20010126 USPAT; US-PGPUB; ePO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; ePO; JPO; DERWENT; IBM_TDB | |
| - 0 6244782.URPN. (location with (map with (display or output or show\$4 or monitor or screen))) and (base\$2station or (base adj station)) - 409 ((location with (map with (display or output or show\$4 or monitor or screen))) and (base\$2station or (base adj station))) and (@rlad<20010126) - 1 (((location with (map with (display or output or show\$4 or monitor or screen))) and (base\$2station or (base adj station))) and (@rlad<20010126) - 1 (((location with (map with (display or output or show\$4 or monitor or screen))) and (base\$2station or (base adj station))) and (@rlad<20010126) - 32 (((location with (map with (display or output or show\$4 or monitor or screen))) and (base\$2station or (base adj station))) and (@rlad<20010126) - 32 (((location with (map with (display or output or show\$4 or monitor or screen))) and (base\$2station or (base adj station))) and (@rlad<20010126) - 32 (((location with (map with (display or output or show\$4 or monitor or screen))) and (base\$2station or (base adj station))) and (@rlad<20010126) - 32 (((location with (map with (display or output or show\$4 or monitor or screen))) and (base\$2station or (base adj station))) and (@rlad<20010126) - 32 (((location with (map with (display or output or show\$4 or monitor or screen))) and (base\$2station or (base adj station))) and (@rlad<20010126) - 35 (((location with (map with (display or output or show\$4 or monitor or screen))) and (base\$2station or (base adj station))) and (@rlad<20010126) - 35 (((location with (map with (display or output or show\$4 or monitor or screen)) and (base\$2station or (base adj station))) and (@rlad<20010126) - 36 ((location with (map with (display or output or show\$4 or monitor or screen)) and (base\$2station or (base adj station)) and (@rlad<20010126) - 36 ((location with (map with (display or output or show\$4 or monitor or screen)) and (base\$2station or (base adj station)) and (@rlad<20010126) - 37 ((location with (map with (display or output or show\$4 or monitor or screen)) and (base\$2station or (base adj s | |
| - USPAT USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; or @ad<20010126) and (base\$2station or (base adj station))) and (@rlad<20010126 or @ad<20010126)) and (base\$2station or (base adj station))) and (@rlad<20010126 or @ad<20010126)) and (coom\$4 near (picture or imag\$4)) | |
| - S48 (location with (map with (display or output or show\$4 or monitor or screen))) and (base\$2station or (base adj station)) - 409 ((location with (map with (display or output or show\$4 or monitor or screen))) and (base\$2station or (base adj station))) and (@rlad<20010126) - 1 (((location with (map with (display or output or show\$4 or monitor or screen))) and (base\$2station or (base adj station))) and (@rlad<20010126) - 1 (((location with (map with (display or output or show\$4 or monitor or screen))) and (base\$2station or (base adj station))) and (@rlad<20010126) - 32 (((location with (map with (display or output or show\$4 or monitor or screen))) and (base\$2station or (base adj station))) and (@rlad<20010126) - 32 (((location with (map with (display or output or show\$4 or monitor or screen))) and (base\$2station or (base adj station))) and (@rlad<20010126) - 32 (((location with (map with (display or output or show\$4 or monitor or screen))) and (base\$2station or (base adj station))) and (@rlad<20010126) - 32 (((location with (map with (display or output or show\$4 or monitor or screen))) and (base\$2station or (base adj station))) and (@rlad<20010126) - 35 (((location with (map with (display or output or show\$4 or monitor or screen))) and (base\$2station or (base adj station))) and (@rlad<20010126) - 35 (((location with (map with (display or output or show\$4 or monitor or screen)) and (base\$2station or (base adj station))) and (@rlad<20010126) - 36 ((location with (map with (display or output or show\$4 or monitor or screen)) and (base\$2station or (base adj station)) and (@rlad<20010126) - 36 ((location with (map with (display or output or show\$4 or monitor or screen)) and (base\$2station or (base adj station)) and (@rlad<20010126) - 37 ((location with (map with (display or output or show\$4 or monitor or screen)) and (base\$2station or (base adj station)) and (@rlad<20010126) - 37 ((location with (map with (display or output or show\$4 or monitor or screen)) and (base\$2station or (base adj station)) and (@ | 004/01/20 18:08 |
| screen))) and (base\$2station or (base adj station)) 409 ((location with (map with (display or output or show\$4 or monitor or screen))) and (base\$2station or (base adj station))) and (@rlad<20010126 US-PGPUB; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; or @ad<20010126)) and (base\$2station or (base adj station))) and (@rlad<20010126 US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 004/01/20 18:17 |
| - 409 ((location with (map with (display or output or show\$4 or monitor or screen))) and (base\$2station or (base adj station))) and (@rlad<20010126 USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB - 1 (((location with (map with (display or output or show\$4 or monitor or screen))) and (base\$2station or (base adj station))) and (@rlad<20010126 USPAT; US-PGPUB; or @ad<20010126)) and (zoom\$4 near (picture or imag\$4)) - 32 (((location with (map with (display or output or show\$4 or monitor or screen))) and (base\$2station or (base adj station))) and (@rlad<20010126 USPAT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 004/01/20 16.17 |
| - 409 ((location with (map with (display or output or show\$4 or monitor or screen))) and (base\$2station or (base adj station))) and (@rlad<20010126) - 1 (((location with (map with (display or output or show\$4 or monitor or screen))) and (base\$2station or (base adj station))) and (@rlad<20010126) - 32 (((location with (map with (display or output or show\$4 or monitor or screen))) and (base\$2station or (base adj station))) and (@rlad<20010126) - 32 (((location with (map with (display or output or show\$4 or monitor or screen))) and (base\$2station or (base adj station))) and (@rlad<20010126) - 32 (((location with (map with (display or output or show\$4 or monitor or screen))) and (base\$2station or (base adj station))) and (@rlad<20010126) - 32 ((location with (map with (display or output or show\$4 or monitor or screen))) and (base\$2station or (base adj station))) and (@rlad<20010126) - 35 ((location with (map with (display or output or show\$4 or monitor or screen))) and (base\$2station or (base adj station))) and (@rlad<20010126) - 36 ((location with (map with (display or output or show\$4 or monitor or screen))) and (base\$2station or (base adj station))) and (@rlad<20010126) - 36 ((location with (map with (display or output or show\$4 or monitor or screen)) and (base\$2station or (base adj station))) and (@rlad<20010126) - 37 (location with (map with (display or output or show\$4 or monitor or screen)) and (base\$2station or (base adj station)) and (@rlad<20010126) - 38 (location with (map with (display or output or show\$4 or monitor or screen)) and (base\$2station or (base adj station)) and (@rlad<20010126) - 39 (location with (map with (display or output or show\$4 or monitor or screen)) and (base\$2station or (base adj station)) and (@rlad<20010126) - 39 (location with (map with (display or output or show\$4 or monitor or screen) | |
| - 409 ((location with (map with (display or output or show\$4 or monitor or screen))) and (base\$2station or (base adj station))) and (@rlad<20010126 US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; or @ad<20010126)) and (base\$2station or (base adj station))) and (@rlad<20010126 or @ad<20010126)) and (zoom\$4 near (picture or imag\$4)) - 32 (((location with (map with (display or output or show\$4 or monitor or screen))) and (base\$2station or (base adj station))) and (@rlad<20010126 or @creen))) and (base\$2station or (base adj station))) and (@rlad<20010126 or @creen))) and (base\$2station or (base adj station))) and (@rlad<20010126 or @creen))) and (base\$2station or (base adj station))) and (@rlad<20010126 or @creen))) and (base\$2station or (base adj station))) and (@rlad<20010126 or @creen))) and (base\$2station or (base adj station))) and (@rlad<20010126 or @creen))) and (base\$2station or (base adj station))) and (@rlad<20010126 or @creen))) and (base\$2station or (base adj station))) and (@creen)) and (base\$2station) and (@creen)) and (@creen) a | |
| - 409 ((location with (map with (display or output or show\$4 or monitor or screen))) and (base\$2station or (base adj station))) and (@rlad<20010126 US-PGPUB; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; or @ad<20010126)) and (base\$2station or (base adj station))) and (@rlad<20010126 or @ad<20010126)) and (zoom\$4 near (picture or imag\$4)) - 32 (((location with (map with (display or output or show\$4 or monitor or screen))) and (base\$2station or (base adj station))) and (@rlad<20010126 or @ad<20010126)) and ((building or street)with name) 32 (((location with (map with (display or output or show\$4 or monitor or screen))) and (base\$2station or (base adj station))) and (@rlad<20010126 US-PGPUB; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | |
| screen))) and (base\$2station or (base adj station))) and (@rlad<20010126 US-PGPUB; ePO; JPO; DERWENT; IBM_TDB (((location with (map with (display or output or show\$4 or monitor or screen))) and (base\$2station or (base adj station))) and (@rlad<20010126 US-PGPUB; ePO; JPO; DERWENT; IBM_TDB (((location with (map with (display or output or show\$4 or monitor or screen))) and (base\$2station or (base adj station))) and (@rlad<20010126 US-PGPUB; ePO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; ePO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; ePO; JPO; DERWENT; IBM_TDB USPAT; IBM_TDB USPAT; IBM_TDB USPAT; IBM_TDB USPAT; IBM_TDB USPAT; IBM_TDB USPAT; IBM_TDB | |
| or @ad<20010126) EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; or @ad<20010126)) and (zoom\$4 near (picture or imag\$4)) (((location with (map with (display or output or show\$4 or monitor or screen))) and (base\$2station or (base adj station))) and (@rlad<20010126) (((location with (map with (display or output or show\$4 or monitor or screen))) and (base\$2station or (base adj station))) and (@rlad<20010126) USPAT; USPAT; USPAT; USPGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; USPGPUB; EPO; JPO; DERWENT; IBM_TDB | 004/01/20 18:18 |
| - Uspart; IBM_TDB Ibm_ | |
| - Us-PGPUB; creen))) and (base\$2station or (base adj station))) and (@rlad<20010126 or @ad<20010126)) and (zoom\$4 near (picture or imag\$4)) - 32 (((location with (map with (display or output or show\$4 or monitor or screen))) and (base\$2station or (base adj station))) and (@rlad<20010126 or @ad<20010126)) and ((building or street)with name) IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | |
| - USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; or @ad<20010126) and (base\$2station or (base adj station))) and (@rlad<20010126) DERWENT; IBM_TDB USPAT; US-PGPUB; or @ad<20010126)) and (base\$2station or (base adj station))) and (@rlad<20010126) or @ad<20010126)) and ((building or street)with name) | |
| - USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; or @ad<20010126) and (base\$2station or (base adj station))) and (@rlad<20010126) DERWENT; IBM_TDB USPAT; US-PGPUB; or @ad<20010126)) and (base\$2station or (base adj station))) and (@rlad<20010126) or @ad<20010126)) and ((building or street)with name) | |
| screen))) and (base\$2station or (base adj station))) and (@rlad<20010126 or @ad<20010126)) and (zoom\$4 near (picture or imag\$4)) - 32 (((location with (map with (display or output or show\$4 or monitor or screen))) and (base\$2station or (base adj station))) and (@rlad<20010126 or @ad<20010126)) and ((building or street)with name) Screen))) and (base\$2station or (base adj station))) and (@rlad<20010126 or @ad<20010126)) and ((building or street)with name) US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 004/01/20 18:19 |
| or @ad<20010126)) and (zoom\$4 near (picture or imag\$4)) EPO; JPO; DERWENT; IBM_TDB (((location with (map with (display or output or show\$4 or monitor or screen))) and (base\$2station or (base adj station))) and (@rlad<20010126 or @ad<20010126)) and ((building or street)with name) USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | |
| - 32 ((((location with (map with (display or output or show\$4 or monitor or screen))) and (base\$2station or (base adj station))) and (@rlad<20010126 or @ad<20010126)) and ((building or street)with name) DERWENT; IBM_TDB 20 US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | |
| - 32 ((((location with (map with (display or output or show\$4 or monitor or screen))) and (base\$2station or (base adj station))) and (@rlad<20010126 or @ad<20010126)) and ((building or street)with name) IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | |
| - 32 (((location with (map with (display or output or show\$4 or monitor or screen))) and (base\$2station or (base adj station))) and (@rlad<20010126 or @ad<20010126)) and ((building or street)with name) USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | |
| screen))) and (base\$2station or (base adj station))) and (@rlad<20010126 or @ad<20010126)) and ((building or street)with name) US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 004/01/27 09:59 |
| or @ad<20010126)) and ((building or street)with name) EPO; JPO; DERWENT; IBM_TDB | 004/01/2/ 07.57 |
| DERWENT; IBM_TDB | |
| IBM_TDB | |
| | |
| 1 1488 1 /488148 (M) 1 | 004/01/01 10 55 |
| | 004/01/21 10:22 |
| US-PGPUB; | |
| EPO; JPO; | |
| DERWENT; | |
| IBM_TDB | |
| | 004/01/21 10:25 |
| screen or show\$4)) and GPS) US-PGPUB; | |
| EPO; JPO; | |
| DERWENT; | |
| IBM TDB | |
| | 004/01/21 10:26 |
| US-PGPUB; | |
| EPO; JPO; | |
| | |
| DERWENT; | |
| IBM_TDB | 004/04/54 : 5 |
| | DOM (0) 1 /0 1 10 00 |
| (three adj dimension\$3)) with map) US-PGPUB; | 004/01/21 10:27 |
| EPO; JPO; | 004/01/21 10:27 |
| DERWENT; | 004/01/21 10:27 |
| IBM_TDB | 004/01/21 10:27 |

| - | 58 | (update near location) with ((new and current) with location) | USPAT; US-PGPUB; | 2004/01/27 10:02 |
|---|-----|---|------------------------|-------------------|
| 1 | | | EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM_TDB | |
| - | 48 | ((update near location) with ((new and current) with location)) and (455/\$ | USPAT; | 2004/01/27 10:02 |
| | 1 | or 342/\$ or 701/\$).ccls. | US-PGPUB; | |
| | | | EPO; JPO; | |
| | | | DERWENT; IBM_TDB | |
| | 14 | (update near location) with ((previous and current) with location) | USPAT; | 2004/01/27 10:04 |
| | '- | (update near location) with ((previous and earliest) with location) | US-PGPUB; | 2004/01/27 10:04 |
| | | | EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM_TDB | |
| - | 11 | ((update near location) with ((previous and current) with location)) and | USPĀT; | 2004/01/27 10:04 |
| | | (455/\$ or 342/\$ or 701/\$).ccls. | US-PGPUB; | |
| | | | EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM_TDB | |
| - | 81 | (update near location) with ((different) with location) | USPAT; | 2004/01/27 10:04 |
| | | | US-PGPUB; | |
| | | | EPO; JPO; DERWENT; | |
| | | | IBM_TDB | |
| _ | 60 | ((update near location) with ((different) with location)) and (455/\$ or | USPAT; | 2004/01/27 10:04 |
| | | 342/\$ or 701/\$).ccls. | US-PGPUB: | 2001/01/27 10:01 |
| | | | EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM_TDB | |
| - | 55 | (((update near location) with ((different) with location)) and (455/\$ or | USPAT; | 2004/01/27 10:05 |
| | | 342/\$ or 701/\$).ccls.) and (@rlad<20012601 or @ad<20012601) | US-PGPUB; | |
| | | | EPO; JPO; | |
| | | | DERWENT; | |
| _ | 1 | ((((update near location) with ((different) with location)) and (455/\$ or | IBM_TDB USPAT; | 2004/01/27 12:03 |
| | 1 | 342/\$ or 701/\$).ccls.) and (@rlad<20012601 or @ad<20012601)) and | US-PGPUB; | 2004/01/27 12.03 |
| | | (map near display) | EPO; JPO; | |
| | | (| DERWENT; | |
| | | | IBM_TDB | |
| - | 2 | "20030195008" | USPAT; | 2004/01/27 10:28 |
| | | | US-PGPUB; | |
| | | | EPO; JPO; | |
| | | | DERWENT; | |
| | 3 | ((((undate near location) with (/different) with location)) and (455/6 | IBM_TDB | 2004/01/27 12:10 |
| | 3 | ((((update near location) with ((different) with location)) and (455/\$ or 342/\$ or 701/\$).ccls.) and (@rlad<20012601 or @ad<20012601)) and | USPAT; US-PGPUB; | 2004/01/27 12:10 |
| | | (map near display) | EPO; JPO; | |
| | | (' | DERWENT; | |
| | | | IBM_TDB | |
| ļ | 59 | (update near (location)) and ((455/\$ or 342/\$ or 701/\$).ccls.) and | USPAT; | 2004/01/27 12:18 |
| | | (@rlad<20010126 or @ad<20010126) and (map near display) | US-PGPUB; | |
| | | | EPO; JPO; | |
| | | | DERWENT; | |
| | | (| IBM_TDB | 2004/01/25 14 * * |
| - | 160 | (update near (location or position)) and ((455/\$ or 342/\$ or 701/\$).ccls.) | USPAT; | 2004/01/27 14:14 |
| | | and (@rlad<20010126 or @ad<20010126) and (map near display) | US-PGPUB; EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM_TDB | |
| - | 123 | (update near (position)) and ((455/\$ or 342/\$ or 701/\$).ccls.) and | USPAT; | 2004/01/27 15:23 |
| | .23 | (@rlad<20010126 or @ad<20010126) and (map near display) | US-PGPUB; | |
| | | , , , , , , , , , , , , , , , , , , , | EPO; JPO; | |
| |] | | DERWENT; | |
| | | | IBM_TDB | |

| | 348548 | agpproximat\$3 or estimat\$3 | USPAT; | 2004/01/28 10:39 |
|----------|---------|---|---------------------|------------------|
| - | 340340 | adpproximates or estimates | US-PGPUB; | 2004/01/28 10:39 |
| | | | EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM_TDB | |
| 1_ | 861393 | acutal or exact or accurate | USPAT; | 2004/01/28 10:40 |
| _ | 001373 | action of exact of accurate | US-PGPUB; | 2001/01/20 10:40 |
| | | | EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM TDB | |
| _ | 4613550 | location or position | USPAT; | 2004/01/28 10:40 |
| | | • | US-PGPUB; | |
| | | | EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM_TDB | |
| - | 4540 | (aqpproximat\$3 or estimat\$3) same (acutal or exact or accurate) same | USPAT; | 2004/01/28 10:40 |
| İ | | (location or position) | US-PGPUB; | |
| 1 | | | EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM_TDB | |
| - | 971 | ((aqpproximat\$3 or estimat\$3) same (acutal or exact or accurate) same | USPAT; | 2004/01/28 10:41 |
| | | (location or position)) and request\$4 | US-PGPUB; | |
| | | | EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM_TDB | |
| - | 521 | (((aqpproximat\$3 or estimat\$3) same (acutal or exact or accurate) same | USPAT; | 2004/01/28 10:41 |
| | | (location or position)) and request\$4) and (455/\$ or 342/\$ or 701/\$).ccls. | US-PGPUB; | |
| | | | EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM_TDB | 2004/04/20 10 41 |
| - | 91 | ((((aqpproximat\$3 or estimat\$3) same (acutal or exact or accurate) same | USPAT; | 2004/01/28 10:41 |
| | | (location or position)) and request\$4) and (455/\$ or 342/\$ or 701/\$).ccls.) | US-PGPUB; | |
| | | and (map near display) | EPO; JPO; | |
| | | | DERWENT; | |
| | 87 | ((((((aqpproximat\$3 or estimat\$3) same (acutal or exact or accurate) same | IBM_TDB USPAT; | 2004/01/28 11:51 |
| • | 0/ | ((((adpproximatiss of estimatiss) same (actual of exact of accurate) same (location or position)) and request\$4) and (455/\$ or 342/\$ or 701/\$).ccls.) | US-PGPUB; | 2004/01/20 11.51 |
| | | and (map near display)) and (@rlad<20010126 or @ad<20010126) | EPO; JPO; | |
| | | and (map near display)) and (winds 20010120 or wild 20010120) | DERWENT; | |
| | | | IBM_TDB | |
| _ | 15976 | (aqpproximat\$3 or estimat\$3) with (acutal or exact or accurate) | USPAT; | 2004/01/28 11:52 |
| | | (adpproximate or commerce) | US-PGPUB; | |
| | | | EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM_TDB | |
| | 2525 | ((aqpproximat\$3 or estimat\$3) with (acutal or exact or accurate)) same | USPĀT; | 2004/01/28 11:52 |
| | | (location or position) | US-PGPUB; | |
| | | | EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM_TDB | |
| - | 526 | (((aqpproximat\$3 or estimat\$3) with (acutal or exact or accurate)) same | USPAT; | 2004/01/28 11:52 |
| | | (location or position)) and request\$4 | US-PGPUB; | |
| | | | EPO; JPO; | |
| | | | DERWENT; | |
| | 1.5 | (((agazzavimat@2 ag actimat@2) with (agatal ag acceptance)) | IBM_TDB | 2004/01/20 11:54 |
| • | 17 | (((aqpproximat\$3 or estimat\$3) with (acutal or exact or accurate)) same | USPAT; | 2004/01/28 11:54 |
| | | (location or position)) and ((back) near transmission) | US-PGPUB; | |
| | | | EPO; JPO; | |
| | | | DERWENT; IBM_TDB | |
| | 9 | ((aqpproximat\$3 or estimat\$3) same (acutal or exact or accurate)) and | USPAT; | 2004/01/28 11:55 |
| - | | (((back) near transmission) with location) | US-PGPUB; | 2007/01/20 11.33 |
| | | (((oach) near transmission) with rocation) | EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM_TDB | |
| <u> </u> | l | <u> </u> | | |

| - | 9 | ((aqpproximat\$3 or estimat\$3) with (acutal or exact or accurate)) and (((back) near transmission) with location) | USPAT; US-PGPUB; | 2004/01/28 12:02 |
|---|------|--|-----------------------|--------------------|
| | | | EPO; JPO; DERWENT; | |
| | [| | IBM_TDB | |
| - | 1 | system with request with ((more adj3 accurate) adj2 (position or | USPAT; | 2004/01/28 12:03 |
| | | location)) | US-PGPUB; | |
| | | | EPO; JPO; | |
| | | | DERWENT; | |
| | 12 | system with request with (accurate adj2 (position or location)) | IBM_TDB USPAT; | 2004/01/28 12:04 |
| - | 12 | system with request with (accurate adj2 (position of location)) | US-PGPUB; | 2004/01/20 12:04 |
| | İ | | EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM_TDB | |
| - | 12 | (base\$2station or msc or infrastructure or system) with request with | USPAT; | 2004/01/28 12:05 |
| | | (accurate adj2 (position or location)) | US-PGPUB; | |
| | | | EPO; JPO; | |
| | | | DERWENT; | |
| | 124 | (request or transmi\$7) with ((more adj3 accurate) adj2 (position or | IBM_TDB USPAT; | 2004/01/28 12:10 |
| - | 124 | (request of transmis*/) with ((more adj3 accurate) adj2 (position of location)) | US-PGPUB; | 2004/01/28 12.10 |
| | | location)) | EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM_TDB | |
| - | 5 | (request) with ((more adj3 accurate) adj2 (position or location)) | USPAT; | 2004/01/28 12:06 |
| | | | US-PGPUB; | • |
| | 1 | | EPO; JPO; | |
| | | | DERWENT; IBM TDB | |
| | 5 | (request or (transmi\$7 adj4 back)) with ((more adj3 accurate) adj2 | USPAT; | 2004/01/28 12:11 |
| | | (position or location)) | US-PGPUB; | 200 1/01/20 12:11 |
| | | (Festival of Islands)) | EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM_TDB | |
| - | 7560 | ((base adj station) or base\$2station or MSC) adj2 request ((mobile adj | USPAT; | 2004/01/28 17:44 |
| | | (unit or terminal or station or device)) near (location or position)) | US-PGPUB; | |
| | | | EPO; JPO; DERWENT; | |
| | | | IBM_TDB | |
| - | 1811 | ((base adj station) or base\$2station or MSC) adj2 request ((mobile adj | USPAT; | 2004/01/28 17:35 |
| | | (unit or terminal or station or device)) near (more adj2 (location or | US-PGPUB; | |
| | : | position))) | EPO; JPO; | |
| | | | DERWENT; | |
| | 2066 | ((b. co. odi staticu) cu horafi2-taticu cu MCO) odi2 concet ((mobile odi | IBM_TDB USPAT; | 2004/01/28 17:36 |
| - | 2066 | ((base adj station) or base\$2station or MSC) adj2 request ((mobile adj (unit or terminal or station or device)) near ((accurate or exact or | US-PGPUB; | 2004/01/26 17.30 |
| 1 | | estimate) adj2 (location or position))) | EPO; JPO; | |
| | | commune) adj2 (rodanom or position)))) | DERWENT; | |
| | | | IBM_TDB | |
| - | 2023 | ((base adj station) or base\$2station or MSC) adj2 request ((mobile adj | USPAT; | 2004/01/28 17:37 |
| | | (unit or terminal or station or device)) near (((more adj2 accurate) or | US-PGPUB; | |
| | | exact or estimate) adj2 (location or position))) | EPO; JPO; | |
| | | | DERWENT; IBM TDB | |
| _ | 1796 | ((base adj station) or base\$2station or MSC) adj2 request ((mobile adj | USPAT; | 2004/01/28 17:38 |
| | 1790 | (unit or terminal or station or device)) near ((more adj2 (accurate or exact | US-PGPUB; | 250 110 1120 11.50 |
| ŗ | 1 | or estimate)) adj2 (location or position))) | EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM_TDB | |
| - | 1 | (base adj station or base\$2station or MSC) adj2 request adj4 ((mobile adj | USPAT; | 2004/01/28 17:45 |
| | | (unit or terminal or station or device)) near (location or position)) | US-PGPUB; | |
| | | | EPO; JPO; DERWENT; | |
| | | | IBM_TDB | |
| | | <u> </u> | I IDM I DD | L |

| | 1 | (base adj station or base\$2station or MSC) adj2 (request with ((mobile adj (unit or terminal or station or device)) near (location or position))) | USPAT; US-PGPUB; | 2004/01/28 18:23 |
|---|------|--|---------------------|------------------|
| | | adj (dilit of terminal of station of device)) hear (location of position))) | EPO; JPO; | |
| | | · | DERWENT; | |
| | | | IBM_TDB | |
| _ | 546 | (request with ((mobile adj (unit or terminal or station or device)) near | USPAT; | 2004/01/28 18:24 |
| - | 340 | (location or position))) | US-PGPUB; | 200 01.20 10.21 |
| | | (totation of position))) | EPO; JPO; | Ì |
| | | | DERWENT; | |
| | | | IBM TDB | |
| _ | 0 | (BS or base\$2station or (base adj station) or MSC or system) near | USPAT; | 2004/01/28 18:25 |
| | | (request with ((mobile adj (unit or terminal or station or device)) near | US-PGPUB; | |
| | | (location or position))) | EPO; JPO; | |
| | | (10000000000000000000000000000000000000 | DERWENT; | |
| | | | IBM_TDB | |
| | 1 | (BS or base\$2station or (base adj station) or MSC or system) adj4 | USPAT; | 2004/01/28 18:27 |
| | , | (request with (accurate near (location or position))) | US-PGPUB; | |
| | | (contract the contract to be contracted by contract to be contracted by contract to be contracted by contract to be contracted by contract to be contracted by contract to be contracted by contract to be contracted by contract to be contracted by contract to be contracted by contrac | EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM TDB | |
| _ | 778 | (BS or base\$2station or (base adj station) or MSC or system) adj4 | USPĀT; | 2004/01/28 18:29 |
| | | (request with ((location or position))) | US-PGPUB; | |
| | | (0.41-0.000) | EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM_TDB | |
| - | 0 | (BS or base\$2station or (base adj station) or MSC or system) adj4 | USPAT; | 2004/01/28 18:28 |
| | | (request with (exact adj2 (location or position))) | US-PGPUB; | |
| | | | EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM_TDB | |
| - | 1 | (BS or base\$2station or (base adj station) or MSC or system) adj4 | USPAT; | 2004/01/28 18:28 |
| | | (request with (actual adj2 (location or position))) | US-PGPUB; | |
| | | | EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM_TDB | |
| • | 364 | (BS or base\$2station or (base adj station) or MSC or system) adj4 | USPAT; | 2004/01/28 18:30 |
| | | (request adj2 ((location or position))) | US-PGPUB; | |
| | | | EPO; JPO; | |
| | | | DERWENT; | |
| | 1 | | IBM_TDB | 2004/01/20 10 20 |
| • | 185 | (BS or base\$2station or (base adj station) or MSC or system) adj4 | USPAT; | 2004/01/28 18:30 |
| | | (request adj ((location or position))) | US-PGPUB; | |
| | | | EPO; JPO; | |
| | | | DERWENT; | |
| | 1 | (DC on horaCastation on (hora adi station) on MCC on autom) adia | IBM_TDB | 2004/01/28 18:30 |
| - | 94 | (BS or base\$2station or (base adj station) or MSC or system) adj2 | USPAT; US-PGPUB; | 2007/01/20 10.30 |
| | | (request adj ((location or position))) | EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM_TDB | |
| _ | 56 | ((BS or base\$2station or (base adj station) or MSC or system) adj2 | USPAT; | 2004/01/28 18:31 |
| • |] 50 | (request adj ((location or position)))) and (455/\$ or 342/\$ or 701/\$).ccls. | US-PGPUB; | 2004/01/20 10:51 |
| | | (request adj ((rocation of position)))) and (455/4 of 542/4 of 761/4).eets. | EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM_TDB | |
| _ | 46 | (((BS or base\$2station or (base adj station) or MSC or system) adj2 | USPAT; | 2004/01/28 18:31 |
| - | 40 | ((188 of bases2station of (base adj station) of thise of system) adj2 (request adj ((location or position)))) and (455/\$ or 342/\$ or 701/\$).ccls.) | US-PGPUB; | |
| | | and (@rlad<20010126 or @ad<20010126) | EPO; JPO; | |
| | | and (wind 20010120 of wat 20010120) | DERWENT; | |
| | | | IBM_TDB | |
| _ | 1 | 6289279.pn. | USPAT | 2004/01/28 19:37 |
| | 1 | 20030195008.pn. | US-PGPUB | 2004/01/29 18:13 |
| - | 14 | | USPAT | 2004/01/29 16:39 |
| | "* | "5874914" "5936572" "5936573" "5982324" "5999126" "6041222" | | |
| | | , Julius I J | 1 | i |

| - | 1 6289279.URPN. | USPAT | 2004/01/29 16:39 |
|----------|-----------------------|-------|------------------|
| - | 1 6393292.pn. | USPAT | 2004/01/29 20:22 |
| <u>-</u> | 1 6393292.pn. and map | USPAT | 2004/01/29 20:22 |